

RE 18332-10/12.09 Replaces: RE 00199/11.07


Solenoid operated valves 2-way 2-positions, normally closed


Common cavity size 08 in emergency manifold

VED-CE-7A/8I-06

OE.11 - K - 18 - Y - Z - W

Dimensions





Cartridge schemes

monodirectional type	bidirectional type				
	W				


[mm (inches)]

Technical data

Max flow:	up to 1,5 I/min	(0,4 gpm)
Max operating pressure for steel body:	350 bar	(5000 psi)
Max operating pressure for aluminium body:	210 bar	(3000 psi)

To order only manifold see data sheet RE 18325-85

Dimensions




mm (inches)


CARTRIDGE TECHNICAL DATA
Common cavity: CA-08A-2N
Filtration: 25 μm nominal or better
Minimum voltage required: 90% of nominal value
Coil: must be ordered separately see data sheet RE 18325-90
Mounting position: unrestricted

OE11		- K -		18	- Y - Rated Flow		- Z -		- W - Material		CARTRIDGE SCHEME		
		monodir.	bidir.							Aluminium		monodir.	bidir.
	OD11		01	18	31			09	02	00	S0		
ODE													
CARTRIDGE CODE													
ARTI													

Performance graph



Ordering code



Preferred types (readily available)

Туре	Material number	Туре	Material number
OE110118310900	R934001550		

Further types available by request

Bosch Rexroth Oil Control S.p.A. Via Leonardo da Vinci 5 P.O. Box no. 5

41015 Nonantola – Modena, Italy Tel. +39 059 887 611 Fax +39 059 547 848 integrated-circuits@oilcontrol.com www.boschrexroth.com © This document, as well as the data, specifications and other information set forth in it, are the exclusive property of Bosch Rexroth Oil Control S.p.a.. It may not be reproduced or given to third parties without its consent.

The data specified above only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that our products are subject to a natural process of wear and aging. Subject to change.