

Cetop 3 pressure reducing valve inlet in A outlet to P **H3505**

VRPR-10A

Dimensions in mm

VRPX-10A

Ordering code

H 3 5 0 5 A - - -

Hydrover product

Product series

35 series - CETOP 3 valves

Product ID

Manifold material

Aluminum

Pressure reducing valve type *

R = VRPR-10A (direct)
X = VRPX-10A (pilot)

VRPR-10A reducing valve pressure range (static) *

0 = 2-14 bar
1 = 2-25 bar
2 = 10-50 bar
3 = 28-80 bar

VRPX-10A reducing valve pressure range (static) *

0 = 25-100 bar
1 = 35-140 bar
2 = 70-280 bar
3 = 35-350 bar (adj. knob)

Reducing valve adjustment type *

S = Screw
K = Knob

* Omit if not required. For example, to order the product without the pressure reducing cartridge valve, omit the valve type, pressure range and adjustment type options: H3505A.
The manifold will still be provided with the corresponding cavity.

N°	Description	Q.ty
1	Ø 5,5 through hole for mounting	4
2	OR 108 i. Ø 8,73 cross section 1,78	3
3	Bosch Rexroth reducing valve VRPR-10A o VRPX-10A * (depicted with screw adjustment)	1

* for complete technical information, click on the blue link or go to the components section at the end of the catalog

Technical data	
Max. pressure	250 bar
Max. flow with VRPR-10A	25 lpm
Max. flow with VRPX-10A	55 lpm
Weight	0,9 Kg
Manifold material	Aluminum