INTERNATIONAL



Diaphragm Accumulators

1. **DESCRIPTION**

1.1. FUNCTION

Fluids are practically incompressible and cannot therefore store pressure energy.

The compressibility of a gas is utilised in hydraulic accumulators for storing fluids.

HYDAC diaphragm accumulators are based on this principle, using nitrogen as the compressible medium.

Diaphragm accumulators consist of a fluid section and a gas section with the diaphragm acting as a gas-tight separation

The fluid section is connected to the hydraulic circuit so that the diaphragm accumulator draws in fluid when the pressure increases and the gas is compressed. When the pressure drops, the compressed gas expands and forces the stored fluid into the circuit.

Set into the base of the diaphragm is a valve plate. This shuts off the hydraulic outlet when the accumulator is completely empty and thus prevents damage to the diaphragm.

Notice:

HYDAC diaphragm accumulators when fitted with a HYDAC safety and shut-off block comply with the regulations of the European Pressure Equipment Directive (PED) and the German Industrial Safety Regulations (Betr.Sich.V.).


See catalogue section:

 Safety and shut-off block SAF/DSV No. 3.551

1.2. DESIGN

HYDAC diaphragm accumulators are available in two versions.


1.2.1 Weld type



This consists of:

- Welded pressure vessel, rechargeable on the gas side or, alternatively, completely sealed. Fluid port available in various types.
- Diaphragm to separate the fluid and gas sections.
- Valve plate set into the base of the diaphragm.

1.2.2 Screw type



This consists of:

- Forged upper section with gas charging connection.
- Forged lower section with fluid port.
- Exchangeable flexible diaphragm to separate the gas and fluid.
- Vulcanised valve plate set into the base of the diaphragm.
- Lock nut to hold the upper and lower sections of the accumulator together.

1.2.3 Diaphragm material

The diaphragm material must be selected in accordance with the particular operating medium or operating temperature, see section 2.1. If discharge conditions are unfavourable (high p₂/p₀ pressure ratio, rapid discharge speed), the gas may cool to below the permitted temperature. This can cause cold cracking. The gas temperature can be calculated using the HYDAC Accumulator Simulation Program ASP.

1.2.4 Corrosion protection

For use with chemically aggressive fluids the hydraulic accumulator can be supplied with corrosion protection, such as plastic coating or a galvanic or chemical surface protection. If this is insufficient, then almost all types can be supplied in stainless steel.

1.3. INSTALLATION POSITION

Any position can be chosen. However, if there is a risk of contamination collecting, a vertical position is preferable (fluid port at the bottom).

1.4. TYPE OF INSTALLATION

Hydraulic accumulators up to a nominal volume of 2 I can be screwed directly inline.

Where strong vibrations are expected, the hydraulic accumulator must be secured to prevent it working loose. For weld type hydraulic accumulators we recommend HYDAC mounting clamps. For screw type diaphragm accumulators with a lock nut, a suitable support console can be ordered.

For an additional male thread on the hydraulic connection for screwing into mounting holes, see Table 3.1

See catalogue section:

 Mounting elements for hydraulic accumulators No. 3.502

2. **SPECIFICATIONS**

2.1. EXPLANATIONS, NOTES

2.1.1 Permitted operating pressure See Tables 3.1. and 3.2.

The permitted operating pressure can differ from the nominal pressure for foreign test certificates.

2.1.2 Permitted operating temperature of the hydraulic accumulator

-10 °C ... +80 °Č

Standard design, others on request

2.1.3 Nominal volume

See Tables 3.1. and 3.2.

2.1.4 Effective gas volume

Corresponds to the nominal volume of the diaphragm accumulator.

2.1.5 Effective volume

Volume of fluid which is available between the operating pressures p₂ and p₁.

2.1.6 Gas charging

All accumulators are supplied with a protective pre-charge.

Higher gas pre-charge pressures are available on request (gas charging screw or sealed gas connection).

Hydraulic accumulators must only be charged with nitrogen.

Never use other gases. Risk of explosion!

In principle, only use nitrogen of at least Class 4.0 (filtration < 3 µm).

If other gases are to be used, please contact HYDAC for advice.

2.1.7 Limits for gas pre-charge pressure

 $p_0 \le 0.9 \bullet p_1$

For diaphragm accumulators with PTFE diaphragms, the following applies: p_{0tmax}≤ 200 bar

For further information, see catalogue section:

 HYDAC Accumulator Technology No. 3.000

2.1.8 Permitted pressure ratio See Tables 3.1. and 3.2.

Ratio of max. operating pressure p to gas pre-charge pressure p_o.

The specified values are maximum values and must not be considered as referring to a permanent load. The tolerable pressure ratio is influenced by the geometry, temperature, fluid and flow rate as well as any gas losses due to physical properties.

2.1.9 Max. flow rate of the operating fluid

In order to achieve the max. flow rate given in the tables, a residual fluid volume of approx. 10 % of the effective gas volume must remain in the accumulator.

The maximum fluid flow rate was determined under specific typical conditions and is not applicable in all operating conditions.

2.1.10 Working temperature and operating medium

The permitted working temperature of a diaphragm accumulator is dependent on the application limits of the metal materials and the diaphragm. Outside this temperature range, special materials must be used. The operating medium must also be taken into account.

The following table displays a selection of elastomer materials including max, temperature range and a rough overview of resistant and non-resistant fluids. Please contact us for help in selecting a suitable elastomer.

Mater	ials	Material	Temperature range	Overview of the fluids 2)							
		code 1)		Resistant to	Not resistant to						
NBR	Acrylonitrile butadiene rubber	5	-15 °C + 80 °C -50 °C + 50 °C	 Mineral oil (HL, HLP) Flame-retardant fluids from the groups HFA, HFB, HFC Synthetic esters (HEES) Water Sea water 	 Aromatic hydrocarbons Chlorinated hydrocarbons (HFD-S) Amines and ketones Hydraulic fluids from the group HFD-R Fuels 						
ECO	Ethylene ox- ide epichloro- hydrin rubber	3	-40 °C +120 °C	 Mineral oil (HL, HLP) Flame-retardant fluids from the group HFB Synthetic esters (HEES) Water Sea water 	 Aromatic hydrocarbons Chlorinated hydrocarbons (HFD-S) Amines and ketones Hydraulic fluids from the group HFD-R Flame-retardant fluids from the groups HFA and HFC Fuels 						
IIR	Butyl rubber	4	-50 °C +120 °C	 Hydraulic fluids from the group HFD-R Flame-retardant fluids from the group HFC Water 	 Mineral oils and mineral greases Synthetic esters (HEES) Aliphatic, chlorinated and aromatic hydrocarbons Fuels 						
FKM	Fluorine rubber	6	-10 °C +150 °C	 Mineral oil (HL, HLP) Hydraulic fluids from the group HFD Synthetic esters (HEES) Fuels Aromatic hydrocarbons Inorganic acids 	Amines and ketonesAmmoniaSkydrol and HyJet IVSteam						

See section 2.2. Model code, material code, diaphragm

²⁾ Others available on request

2.1.11 Certificate codes

Hydraulic accumulators which are installed in countries outside Germany are supplied with the test certificates required in that country. The user country must be stated at the time of ordering.

HYDAC pressure vessels can be supplied with virtually any test certificate.

Please note that the permitted operating pressure can differ from the nominal pressure.

The following table contains a few examples of the codes used in the model code for different countries of installation:

Country	Certificate code (CC)
EU member states	U
Australia	F 1)
Belarus	A6
Canada	S1 ¹⁾
China	A9
Hong Kong	A9
Iceland	U
Japan	Р
Korea (Republic)	A11
New Zealand	T
Norway	U
Russia	A6
South Africa	S2
Switzerland	U
Turkey	U
Ukraine	A10
USA	S

¹⁾ Registration required in the individual territories or provinces.

Others on request

2.1.12 Notice

All work on HYDAC diaphragm accumulators must only be carried out by suitably trained staff.

Incorrect installation or handling can lead to serious accidents.

The operating instructions must be observed!

No. 3.100.BA

Detailed assembly and repair instructions are available for work which may be carried out on the diaphragm accumulator after installation and commissioning, e.g. repair work.

Further information such as accumulator dimensioning, safety information and extracts from the acceptance specifications can be found in the following catalogue section:

 HYDAC Accumulator Technology No. 3.000

Relevant PDF documents can be accessed at:

www.hydac.com » Downloads » Documents » Accumulator Division

2.2. MODEL CODE

Not all combinations are possible. Order example. For further information, please contact HYDAC.

SBO210 - 2 E1 / 112 U - 210 AK 050

Series

Nominal volume [I]

Type

Weld type:

E1 = rechargeable M28x1.5

E2 = sealed gas connection,

with gas pre-charge as requested 1)

E3 = rechargeable,

gas valve M16x1.5 / M14x1.5

Screw type

A6 = rechargeable M28x1.5, exchangeable diaphragm

A3 = gas valve M16x1.5 / M14x1.5exchangeable diaphragm

Material code

dependent on operating medium standard design = 112 for mineral oil

Fluid port

= carbon steel

3 = stainless steel 2)

= carbon steel with protective coating 3)

6 = low-temperature steel

= other materials

Accumulator shell

= plastic coating

= carbon steel

= carbon steel with protective coating 3) 4)

= stainless steel 2)

= low-temperature steel 6

= other materials or material combinations

Diaphragm

2 3 = NBR 5)

= ECO

= IIR

5 = NBR 5)

6 = FKM

= other materials (e.g. PTFE, EPDM)

Certification code

= European Pressure Equipment Directive (PED)

Permitted operating pressure [bar]

Fluid port form

Standard connection = AK or AB

e.g. form AK = G 3/4

for SBO210-2 see section 3.

Pre-charge pressure p₀ [bar] at 20 °C, must be stated clearly, if required! 1)

- 1) Only for E1 or E2 design, when ordered as standard
- Dependent on type and pressure level
- 3) Only for screw type design
- Only for parts that come into contact with fluid
- Observe temperature ranges, see section 2.1.

TECHNICAL DATA 3.

3.1. WELD TYPE

- non-exchangeable diaphragm -

3.1.1 **Drawings**

Fig.	Design	Gas side connectio	n	'	Fluid side connection	
		E1	E2	E3	AK	AB
1	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	M28x1.5	N		B	hex. 20 28
2	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	-53	_	38	hex. F Ra 3.2	hex. F Ra 3.2
3	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	ගු <u>M28x1.5</u>	On request	7	1 1 1 1 1 1 1 1 1 1	20 B2
4	₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	0	_		hex. F Ra 3.2	hex.

^{* =} alternative connections on request

3.1.2 **DIMENSIONS**

Nom. vol. 1)	Perm. press.	Series	U		R	ØD	Weight	Q 2)	Standard fluid port								Fig.		
	ratio		Perm. c	re [bar]					Form AK					Form AB					
[1]	p ₂ : p ₀		Carbon steel	Stainless steel	[mm]	[mm]	[kg]	[l/min]	F ISO 228	ØG [mm]	L [mm]	B1 [mm]	Hex. AF	F ISO 228	H DIN 13	L [mm]	B2 [mm]	Hex. AF	
0.075	8:1	250	250	_	91	64	0.7	38	G 1/2	 -	14	21	30						1
0.16	8:1	210	210	180	103	74	0.8	38	G 1/2		14	21	30]					1
0.16	0.1	300	300	_	108	78	1.1	30	G 1/2	-	14	2	30		Not ava	مالمماند			
		100	100	_	116	90	0.9]	NOL ava	allable			
0.32	8:1	210	210	160	116	93	1.3	95	G 1/2	_	14	21	30						1
		300	300	_	120	96	1.8	1											
0.5	8:1	160	160	_	130	102	1.3	95	G 1/2		14	21	30	G 1/2	Magnet	14	37	41	4
0.5	8:1	210	210	_	133	105	1.7	95	G 1/2	-	14	21	30	G 1/2	M33x1.5	14	37	41	1
0.0	0.4	330	330	_	151	115	3.3	05	0.4/0	2.4	4.4	24	41	G 1/2	Magnet	4.4	27	41	1
0.6	8:1	350	350	_	130	121	3.5	95	G 1/2	34	14	21	50	G 1/2	M33x1.5	14	37	50	3
0.7	8:1	100	100	_	151	106	1.8	95	G 1/2	34	14	21	41	G 1/2	M33x1.5	14	37	41	1
		140	140	_	142	116	1.8									4.4	0.7		
0.75	0.4	210	210	140	147	121	2.8	0.5	0.4/0		14	21	41	0.4/0	M00:4 5	14	37	41	1
0.75	8:1	250	250	_	152	126	3.6	95	G 1/2	34	14		41	G 1/2	M33x1.5	4.5	40	141	
		330	330	_	140	126	4	1				26	1			15	42		3
	8:1	200	200	_	159	136	3.6					24				14	37		1
1	4:1	250	250	_	192	126	4.4	95	G 1/2	34	14	21	41	G 1/2	M33x1.5	14	37	41	2
	4:1	330	330	_	169	126	4.8	1			26	26				15	42		4
		140	140	_	173	145	3.9									14			
1.4	8:1	210	210	_	178	150	5.4	95	G 1/2	34	14	21	41	G 1/2	M33x1.5	14	37	41	1
1.4	0.1	250	250	_	185	153	5.9	95	G 1/2	34	14		41	G 1/2	INISSX 1.5	15]	41	
		330	330	_	172	155	7.6]				33				15	42		3
	8:1	100	100	100	190	160	4												1
2	0.1	210	210	_	198	167	6.6	150	G 3/4	44	16	28	46	G 3/4	M45x1.5	16	33	46	l I
2	4:1	250	250	_	232	153	7.4	130	G 3/4	44	10		40	G 3/4	1014581.5	10		40	2
	8:1	330	330	_	181	172	9.2					43					42		3
		210	210	_	250	167	8.2					28					33		2
2.8	4:1	250	250	_	250	170	9.5	150	G 3/4	44	16		46	G 3/4	M45x1.5	16	33	46	
2.0		330	330		237	172	11	130	G 3/4	44	10	43	40	G 3/4	IVI45X 1.5	10	42	40	4
	6:1	330	330		231	11/2						44							3
3.5	4:1	250	210	_	306	170	11.2	150	G 3/4	44	16	28	46	G 3/4	M45x1.5	16	33	46	2
3.5	4.1	330	330	_	274	172	13.8	130	0 3/4	44	10	44		G 3/4	1V145X 1.5	10	42	40	4
4	4:1	50	_	50	294	158	5	150	G 3/4	44	16	44	46	G 3/4	M45x1.5	16	33	46	2
4	7.1	250	_	180	306	170	11.2	130	0 3/4	74	10	144	40	0 3/4	IVI43X 1.3	10	33	40	-


¹⁾ Others on request 2) Max. flow rate of operating fluid

3.2. SCREW TYPE

- exchangeable diaphragm -

3.2.1 **Drawings**





Type A3



Fluid port AK Alternative fluid ports on request

Fig. 5

3.2.2 Dimensions


Nom. vol. 1)	Perm. press.	Series	Certifica U	ate code	Weight	Α	В	ØD	ØL	M	N	0	ØP	R	Q 2)	Standard	d fluid	port	1	Fig.
	ratio		Perm. o	•												Form Ak	(
[1]	p ₂ : p ₀		Carbon steel	Stainless steel	[kg]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		[mm]	[mm]	[l/min]	F ISO 228	S [mm]	ØG [mm]	K AF	
0.1	10:1	500	500	_	1.9	110	30	95	_	53	35	-	_	_	95	G 1/2	14	_	36	
		500	500	_	3.9	129	20	115	92	56	56									
0.25	10:1	300	_	350	4.9	129	20	125	92	50	60	_	_	_	95	G 1/2	14	_	36	
		750	_	750	9	136	11	153	114	57.5	63	M6	140	12				27		
0.6	10:1	450	450	250	5.7	170	19	140	115	68	57	_	_	_	95	G 1/2	14	34	41	5
1.3	10:1	400	400	_	11.2	212	28	199	160	97	65	M8	180	10	150	G 3/4	16	44	50	
2	10:1	250	250	180	11.4	227	17	201	168	101	64	M8	188	10	150	G 3/4	16	44	50	
2.8	10:1	400	400	_	22	257	30	252	207	106	80	M8	230	10	150	G 3/4	16	44	50	
4	10:1	400	400	_	34	284	30	287	236	127.5	90	M8	265	10	150	G 3/4	16	44	50]

¹⁾ Others on request 2) Max. flow rate of operating fluid

4. **SPARE PARTS**

4.1. WELD TYPE

- non-exchangeable diaphragm -




Description	Quantity	Item
Spare parts set for gas side onsisting of:		
Locking screw	20	1
Protective cap	20	2
Seal ring	20	3

Nominal	Part no.											
volume [l]	NBR	ECO	FKM	IIR	PTFE							
Spare parts set	for gas side											
0.075 - 4	3262845	-	-	-	-							

4.2. SCREW TYPE

- exchangeable diaphragm -



Description	Quantity	Item
Spare parts set for gas side consisting of:		
Locking screw	20	1
Protective cap	20	2
Seal ring	20	3
Spare parts kit for elastomer diaphragm consisting of:		
Locking screw	1	1
Seal ring	1	3
Elastomer diaphragm	1	4a
Support ring	1	5a
Spare parts kit for PTFE diaphragm consisting of:		
Locking screw	1	1
Seal ring	1	3
PTFE diaphragm	1	4b
O-ring	1	5b

Nominal	Part no.												
volume [l]	NBR	ECO	FKM	IIR	PTFE								
Spare parts set for gas side													
0.1 - 4	3262845	-	-	-	-								
Spare parts kit													
0.1	3042668	3182526	-	-	-								
0.25	3042709	3042712	3042714	3042713	3504798								
0.6	3042710	3042715	3042717	3042716	3550388								
1.3	3042681	3042682	3042684	-	3446897								
2	3042711	3042719	3042721	3042720	3464205								
2.8	3042700	3042701	3042704	3042702	-								
4	3042705	3042706	3042708	3042707	-								

4. **NOTE**

The information in this brochure relates to the operating conditions and fields of application described. For applications and/or operating conditions not described, please contact the relevant technical department.

Subject to technical modifications.

HYDAC Technology GmbH Industriegebiet

66280 Sulzbach/Saar, Germany Tel.: +49 (0) 68 97 / 509 - 01

+49 (0) 68 97 / 509 - 464 Fax: Internet: www.hydac.com

E-mail: speichertechnik@hydac.com